

## II. AMENDMENTS TO THE CLAIMS

The following is a courtesy copy of the currently pending claims; no revisions have been made via this document:

1. (Previously Presented) A method for simplifying control of a group of computer programs within a group of cooperating communication managers which access computer system resources held in computer system memory, the method including the steps of:

providing connection services to each computer program within the group of computer programs to enable access to a shared access memory that is accessible to each of the group of cooperating communication managers;

providing a set of command target qualifiers specifically identifying at least one of the group of cooperating communication managers to which a command should be targeted, wherein the set of command target qualifiers includes at least one command target qualifier indicating that a command should be targeted to all members of the group of cooperating communication managers; and

providing a set of scope definitions for association with respective computer system resources to determine the scope of access and change rights for the computer system resources and for determining whether the computer system resources should be stored in said shared access memory, and for identifying computer system resources to which a command is to be applied by reference to their associated scope definitions.

**BEST AVAILABLE COPY**

2. (Original) A method according to claim 1 wherein respective ones of said scope definitions are associated with respective computer system resources in response to setting of a scope parameter during a computer system resource creation operation.

3. (Previously Presented) A method according to claim 1, wherein said set of scope definitions include a shared scope option for association with respective computer system resources, said shared scope option determining that the respective computer system resources should be stored in said shared access memory and should be accessible to all cooperating communication managers in said group.

4. (Previously Presented) A method according to claim 3, further comprising saving a computer system resource to said shared access memory in response to specifying a shared scope during creation of the computer system resource.

5. (Previously Presented) A method according to claim 1, wherein said set of scope definitions include a group scope option for association with respective computer system resources, said group scope option determining that the respective computer system resources should be stored in said shared access memory and that copies of said respective computer system resources should be created and stored in local storage of each cooperating communication manager in said group of cooperating communication managers.

6. (Previously Presented) A command interface for a computer program for issuing commands for administration of the computer program and other computer programs which have been defined as a group of computer programs within a group of cooperating communication managers, the command interface providing a set of commands having the following parameters:

a command target qualifier, wherein particular parameter values of the command target qualifier determine which group of cooperating communication managers and which communication managers of the group of cooperating communication managers to which the command should be targeted; and

a scope definition, wherein particular parameter values of the scope definition are associatable with respective computer system resources and wherein a parameter value of the scope definition determines which of the respective computer system resources the command should be applied to by reference to their associated command target qualifier parameter values.

7. (Previously Presented) A command interface according to claim 6 wherein the set of commands includes a define command for defining a new computer system resource, wherein a scope definition parameter value specified in said define command is associated with said computer system resource in response to issuing the command and wherein the scope definition parameter value determines the scope of access and change rights for the computer system resource and determines whether the computer system resource should be stored in a shared access memory which is accessible by all cooperating communication managers in said group or should be stored in unshared local memory of an individual cooperating communication manager indicated by said command target qualifier.

8. (Previously Presented) A command interface according to claim 6, wherein said command target qualifier has at least a first specifiable parameter value indicating that a command should be applied to all members of the group of cooperating communication managers and a second specifiable parameter value indicating that a command should be targeted to an individual cooperating communication manager of the group of cooperating communication managers.

9. (Previously Presented) A data processing system including:

at least one computer program defined as a member of a group of computer programs within a group of cooperating communication managers;

a command interface for issuing commands for administration of the at least one computer program and other members of the group of computer programs, wherein the command interface provides a set of commands having the following parameters:

a command target qualifier, wherein particular parameter values of the command target qualifier determine which group of cooperating communication managers and which cooperating communication managers of the group to which the command should be targeted; and

a scope definition, wherein particular parameter values of the scope definition are associatable with respective computer system resources and wherein a scope definition parameter value specified in a command determines which of the respective computer system resources the command should be applied to by reference to the computer system resources' associated command target qualifier parameter values.

10. (Previously Presented) A data processing system according to claim 9 including:

means for accessing a first memory from one of the group of cooperating communication managers, which first memory is inaccessible from other members of the group of cooperating communication managers; and

means for accessing a second memory from said one of the group of cooperating communication managers, which second memory is accessible from all members of the group of cooperating communication managers;

wherein the set of commands includes a define command for defining a new computer system resource, wherein a scope definition parameter value specified in said define command is associated with said computer system resource in response to issuing the command and wherein the scope definition parameter value determines the scope of access and change rights for the computer system resource including determining whether the computer system resource should be stored in said second memory which is accessible by all cooperating communication managers of said group or should be stored in unshared memory of an individual cooperating communication manager indicated by said command target qualifier.

11. (Previously Presented) A computer program product comprising computer readable program code recorded on a computer readable recording medium, the program code including a command interface for issuing commands for administration of the computer program code, and other computer programs which have been defined as a group of computer programs within a group of cooperating communication managers, the command interface providing a set of commands having the following parameters:

a command target qualifier, wherein particular parameter values of the command target qualifier determine which group of cooperating communication managers and which cooperating communication managers of the group to which the command should be targeted; and

a scope definition, wherein particular parameter values of the scope definition are associatable with respective computer system resources and wherein a parameter value of the scope definition determines which of the respective computer system resources the command should be applied to by reference to their associated command target qualifier parameter values.

12. (Previously Presented) A method for controlling a group of computer programs within a group of cooperating communication manager which access computer system resources held in computer system memory, the method including the steps of:

in response to a command being issued which specifies an operation and a command target qualifier, determining which cooperating communication managers within said group to which the command should be targeted;

in response to the command specifying a scope definition, determining which computer system resources of the determined computer programs the operation is to be performed on; and

performing the operation on the determined resources of the determined computer programs.

13. (Previously Presented) A method according to claim 12, including the steps of:

in response to a define command being issued which specifies a define operation for defining a computer system resource and which specifies a command target qualifier,

determining which cooperating communication managers within said group to which the define operation should be targeted; and

in response to the define command specifying a scope definition, performing the define operation and associating the specified scope definition with the computer system resource, thereby to determine the scope of access and change rights for the computer system resources and to determine whether the computer system resources should be stored in shared access that is accessible to each of the group of cooperating communication managers or in unshared memory, and storing said computer system resource in said determined memory.

14. (Previously Presented) The method of claim 1, wherein the cooperating communication managers are queue managers.

15. (Previously Presented) The command interface of claim 6, wherein the cooperating communication managers are queue managers.

16. (Previously Presented) The data processing system of claim 9, wherein the cooperating communication managers are queue managers.

17. (Previously Presented) The program product of claim 11, wherein the cooperating communication managers are queue managers.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**